

# pluriStrainer Mini 5 µm (Cell Strainer)

|   | Order No.   | Size     | Sterlity | Packaging   |
|---|-------------|----------|----------|---|
| 7 | 43-10005-40 | 25 pcs.  | Sterile  | 25 pcs. (25 pcs. / Bag) - The tube for flow cytometry is not included.  |
|   | 43-10005-50 | 50 pcs.  | Sterile  | 50 pcs. (25 pcs. / Bag) - The tube for flow cytometry is not included.  |
|   | 43-10005-60 | 100 pcs. | Sterile  | 100 pcs. (25 pcs. / Bag) - The tube for flow cytometry is not included. |
|   | 43-10005-70 | 500 pcs. | Sterile  | 500 pcs. (25 pcs. / Bag) - The tube for flow cytometry is not included. |

### Description

The pluriStrainer® Mini is a sieving device (or cell strainer) for a wide range of laboratory applications where filtration and purification of liquids is required. It has been optimized for small sample volumes. Its unique design allows fitting on a wide variation of tubes, e.g. 1.5 ml /2.0 ml reaction tubes, 15 ml conical centrifuge tubes, FACS<sup>™</sup> tubes, Cryo vials, 24 well plate and 48 well plate. In combination with a standard flow cytometry tube the pluriStrainer Mini 5µm can be used as replacement for a strainer cap.

#### **Application**

- Obtaining a real single cell suspension after digestion of mammary tissue and organoids
- Preparation of a single cell suspension of blood cells from bone marcol-sm-12, pancreas, thymus, lymph nodes and others
- Dissociation of cells from other primary tissue
- Preparation of real single cell suspension for flow cytometry(FACS<sup>™</sup>)

#### **Features**

# The small size laboratory strainer fits into multiple tube sizes



The picture shows, from the left to right: 15 ml conical centrifuge tubes, blood collecting tube, flow cytometry (FACS™) tube, 3 ml tube, 2 ml cryo tube, 5 ml conical tube screw cap, 5 ml reaction tube snap cap, 2 ml reaction tube, 1.5 reaction tube, 48 well plate

# Additional Information

| Mesh Size            | 5 μm   |
|----------------------|--|
| Packaging            | 50 pcs. (25 pcs. / Bag) - The tube for flow cytometry is not included.   |
| Color                | yellow   |
| Flow Control         | No   |
| Mesh Fixation        | Injected in housing for strong hold  |
| Fabric material      | PET (Polyethylenterephthalat)  |
| Housing Material     | PP (Polypropylene)   |
| Mesh Type            | woven  |
| Fits into            | 1.5 ml reaction tube, 2.0 ml reaction tube, FACS <sup>™</sup><br>tube, Cryo vials 5 ml / 10 ml, reaction tube with lid, 5<br>ml / 10 ml reaction tube with screw cap, 14- 15 ml<br>conical centrifuge tube, 24 well plate, 48 well plate   |
| Handling             | Gripping surface enables easy and aseptic handling.  |
| Sterility            | Sterile  |
| Comparable with      | Cell Strainer Snap Cap <sup>™</sup> , Corning Cell Strainer,<br>EASYstrainer <sup>™</sup> , Cell Sieve, Falcon <sup>™</sup> Cell Strainer,<br>Reversible <sup>™</sup> Strainer, MACS® SmartStrainer, MACS®<br>Pre-Separation Filters   |
| Stability            | RLT® Buffer, TRIzol®, isopropanol, organic solvents  |
| Centrifugable        | Yes  |
| Tissue Dissociation  | Yes  |
| Disinfectable        | Yes  |
| Shipping Condition   | Room temperature   |
| Storage Condition    | Room temperature   |
| Regulatory Statement | For research use only. Not for use in diagnostic procedures  |
| •                    | Buffer RLT® is a trademark of Qiagen, TRIzol® is a trademark<br>of Molecular Research Center Inc., FACS <sup>™</sup> is a trademark of BD<br>Biosciences, Corning is a registered trademark of Corning Inc.,<br>EASYstrainer <sup>™</sup> is a registered trademark of Greiner Bio One<br>International GmbH, Cell Strainer Snap Cap <sup>™</sup> and Falcon <sup>™</sup> Cell<br>Strainers is a registered trademark of Corning Inc., MACS®<br>SmartStrainer is a registered trademark of Miltenyi Biotec<br>GmbH |

# Warning and Limitations

This product is for research and development only, not for diagnostic or theurapeutic use.

pluriSelect Life Science Deutscher Platz 5a, 04103 Leipzig, DE Phone: +49 341 333 858 0 | Fax: +49 341 333 858 99 support@pluriselect.com https://www.pluriselect.com/