pluriSpin® Human PLT Depletion (2 ml)

Order No.:19-00002-31

描述

pluriSpin® Human PLT Depletion is designed to isolate pure, viable and untouched platelets-low population from whole blood, buffy coat, cord blood or similar sample material by negative isolation. The product labels Platelets, while the isolated human platelets-low population are left in the sample. When centrifuged over a density medium. The unwanted cells pellet along with the RBCs. The purified platelets-free population are present as a highly enriched population at the interface between the plasma and the density medium.

Problems with platelet contamination

- Reduce purity of enriched cells in fresh blood and even more if the blood sample is older than 8 hours.
- To prevent platelet activation samples containing platelets should be handled gently
- Platelets disturb your cell culture by taking space and setting free growth factors and other mediators
- Platelets can create cell clumps
- Platelets are sticky and can easily bind to other cells (i.e. monocytes, eosinophils)
- Platlets can affect FACS analysis and cause large variation of DNA content

Solution and advantages with pluriSpin® Human PLT Depletion

- Depletion without the use of beads
- Increases purity of enriched cells through a density gradient centrfugation in one step
- Can be combined with negative separation techniques such as pluriSpin®
- Rare cell enrichment will be improved (e.g. in use with pluriSpin® CD45 Depletion)
- Minimum manipulation of blood sample due to shorter centrifugation step (compared to standard protocol with platelet density gradient)
- Cell enrichment from blood samples older than 8 hours will be improved

pluriSelect Life Science
Deutscher Platz 5a, 04103 Leipzig, DE
Phone: +49 341 333 858 0 | Fax: +49 341 333 858 99
support@pluriselect.com
https://www.pluriselect.com/

Additional Information

大小	2 ml
交付时间	1-2
品种	人类
细胞类型	血小板
样品料	Whole Blood, PBMC, Buffy Coat, Cord Blood, Bone Marrow, Primary Cell Solution
纯度	>90%
储存条件	4-8 °C
规范性声明	For research use only. Not for use in diagnostic procedures,

Warning and Limitations

This product is for research and development only, not for diagnostic or theurapeutic use.

pluriSelect Life Science
Deutscher Platz 5a, 04103 Leipzig, DE
Phone: +49 341 333 858 0 | Fax: +49 341 333 858 99
support@pluriselect.com
https://www.pluriselect.com/